AMERICAN POTATO JOURNAL SUBJECT AND AUTHOR INDEX VOLUME 66, 1989

Subject Index

a-amylose activity, 510
Absorbancy values, 453–455
Absorption of thuringiensin, 5, 78
Aerial stems, 696, 824
Aerial tubers, 824, 833
Agtron, M30, 148
Agtron, M44, 149
Agtron, M6001, 149
Amylolytic activity, 510
Anaerobic-aerobic waste water treatment, 527
Antagonistic bacterial isolates, 315, 318, 319, 322, 324
Antisera, 139
Antitranspirant, 563
Antitranspirant categories, 564
Aphid innoculation, 139
Assimilation patterns, 206–208, 211, 212
Auxin activity, 125, 126, 133
Bacteria
  Agrobacterium plasmid vectors, 516, 526, 670, 672
  Agrobacterium tumefasciens, 508
  Antibacterial proteins, 517
  Bacillus thuringiensis, 6
  Bacterial ring rot, 301, 310, 516, 741
  Bacterial soft rot, 379, 380
  Bacterial stem rot, 379, 380, 383
  Bacterial wilt, 315, 316, 329
  Bacterial wilt pathogen (Race 3), 316, 317
  Backleg, 379, 380
  Black scurf, 365, 366, 372, 374, 376, 821, 825–831
  Black scurf index, 371, 372, 374
  Corynebacterium sepedonicum, 104, 106, 744
  Erwinia atroseptica, 104, 106, 358, 379, 380
  Erwinia cartovora, 104, 379, 380, 383, 386, 387
  Erwinia chrysanthemi, 104, 106, 357–360, 362, 379, 380
  Erwinia soft rot, 357, 379
  Erwinia spp. 104, 106, 504, 640, 643
  Erwinia stem rot (resistant accessions), 382, 385, 386
  Erwinia strains, 380, 381, 383–385
  Pseudomonas solanocearum, 106, 315–324, 640
  Pseudomonas solanacearum (isolate BC–8), 317–319, 321, 324, 325
  Streptomyces scabies, 104, 106, 150, 518, 525, 531, 679
    acid scab, 185
    common scab, 150, 185, 301, 310, 518, 524, 643, 703
Bacterial insecticides, 5
Baking quality, 293, 300, 312
Bare root seedlings, 94, 96
Beckman LS 1800, 7
Bioassay (Hampson and Coombes), 497
Bioassay (Hampson and Thompson), 497
Bedding plant technology, 99
Biological agents, 317, 330
Biomass accumulation by growth stages, 205–210, 212
Biospect spectrophotometer, 216, 218, 219
Biatron, 27
Blackspot bruise tests, 401, 403, 407–409
Blackspot resistant clones, 511, 512
Blind seedpieces, 151–153, 156–158
Blitecast, 228, 231
Boiling quality, 293, 299, 300, 312
Breeding
  additive-dominance model, 540
  allelic diversity, 517
  aneuplopidy, 669
  Andigena clones, 13, 15, 16, 18, 19, 21
  anther derived monoploids, 535
  Bilateral sexual polyploidization, 645
  Blackspot bruise resistant mutants, 531
  Breeding methodology at CIP, 647
  Cytoplasmic male sterility, 13–15, 23
  Classification of wild species useful for various characters for breeding purposes, 660, 664, 665
  Clonal regeneration, 634
  Clonal selection, 521
  Clonal selections (CIP) 253
  Cromosomal instability, 672, 674, 676

Crossibility of wild species, 118
Cross predication model, 509
Cryopreservation of germplasm, 257, 258
Current use of plant introductions used in North American breeding programs, 621, 626, 623, 624
Cytological abberations, 677
Cytoplasmic male sterility, 537
DNA sequences, 670–672, 674
EBN (endosperm balance number), 629, 630, 634
EBN hypothesis, 118
Explants, 669
Fertility restorer genes, 13, 15, 23
Foreign introductions entered in parentage of North American varieties released from 1956–1985, 610, 611, 605–608
Future germplasm utilization, 625
FDR (first division restitution), 645
Gene introgression, 504
Gene pools, 253
General use of IR-1 stocks for contract screening, 663
Genetic coefficient, 432, 435
Genetic composition of major United States and Canadian varieties, 619–621
Genetic diversity, 645
Genetic variability, 639
Germplasm enhancement, 601, 630, 639
Germplasm, 253, 259, 266
Germplasm evaluation, 601
Germplasm gametes, 629
Germplasm resources, 655
Germplasm transfer, 632, 633, 635
Germplasm utilization, 629–631
Haploids, 629–631, 803, 804, 806
Haploid evaluations, 551
Heterozygosity increase, 517
Inheritance of resistance to black spot, 537
IR-1 Potato Introduction Project, 661–663
Interspecific crossability studies, 524
Interspecific hybrids, 13, 15
Leaf explants, 551
Leaf isozymes, 517
Long-term *in vitro* cultivar maintenance, 530
Main attributes of CIP clones, 651
Micropropagation, 670
Minitubers, 507
Multigenic treatment, 532
N PT-II gene, 526
Natural distribution of tuber bearing *Solanums* in North, Central and South America, 656, 658
Neo-*tuberosum*, 643, 644
"Non-browning" clones, 526
Nutritional quality of breeding lines, 548
Oncogenes, 508
Partial resistance to early dying, leafroll and PVY, 533
PG 1475 replicon, 526
Phylogeny of cultivars, 511
Plantlet age, 535
Ploidy manipulations, 637
Polyploidization, 551
Protoplasts, 669
Protoplast-Fusion hybrids, 504
Population breeding, 639, 645
Potato collecting expedition-1988, 545
Potato cytogenetics, 629, 630
Pre-breeding wild species, 803
Quantitative inheritance, 539
Quantitative trait loci analysis, 531
Rapid cycling populations, 557
Reducing sugar inheritance, 519
Regenerated potato lines, 508
Regeneration from leaf pieces, 676
Restriction fragment length polymorphisms, 531
RK 2 replicon, 526
RSF 1010 replicon, 526
Selection methods, 642
Sexual polyploidization, 551
Shoot regeneration, 535
Somaclonal variation, 516, 669, 677, 679, 681
Somatic doubling, 551
Somatic hybrids, 544
Source of resistance to *R. solani* AG-3, 530
Tissue culture systems, 669, 670
Tuberling clones, 505
Tuberosum clones, 15, 16
Tuberosum haploids, 118
Unilateral sexual polyploidization, 645
Variation in potato regenerative systems, 670, 671, 674, 675
Wild species in pedigrees of European varieties, 617
1EBN species, 118
2n gametes, 629, 630
4x × 2x species, 109
Brining procedure for specific gravity, 217
Browning reaction, 76
Brown spot, 151

Callus tissue, 535
CANDISC, 749
Cell packs, 97–99
CELSS, 25
Center pivot irrigation, 525
Chemical adjuvants, 53, 55, 60
  Ammonium fertilizers, 61
  Crop oils, 53
  Herbimax, 56, 58, 60
  LI-700, 56, 60
  Mor-Act, 53, 56, 60
  Nonidet P40, 510
  Tween-20, 128
  Westsol, 56, 60
  X-77, 7, 56, 58–60
Chemical and chemical compounds
  Alcide LD, 239–241, 243
  Ammonium hydroxide, 8, 815
  Ammonium nitrate, 461, 463, 543
  Ammonium sulfate, 128
  Antitranspirant EXP-4464A, 563–573
  Aquasol-2, 7
  Barium carbonate, 838
  Benzydine, 838
  Calcium sulfate, 7
  Chitenous soil amendment, 499
  Chloroform, 497
  Copper sulfate, 499
  Dithiothiertol, 510
  Ethanol, 240
  Ethylene, 48
  Exspor, 239–241, 243
  Formaldehyde, 499
  Glycerol, 510
  Histidine-citrate, 517, 518
  Incyte, 239–241, 243
  Lithium-borate, 517, 518
  M-aminoethoxyvenyl glycine, 418, 420, 422
  M1-aminocyclopropane-1-carboxylic acid, 418, 419, 422
  M2-(N-morpholino) ethane solfonic acid, 418
  Mannitol, 255, 257, 260
  Methyl bromide, 499
  Penicillin, 418
  Polymixin B sulfate, 418
  Potassium chloride, 7, 463
  Potassium phosphate, 7
  Silver thiosulfate, 47, 48
  Sodium hydroxide, 8
  Sodium hypochlorite, 239–242, 319
  Thiourea, 175
Chip color, 75–77, 80, 148, 149, 185, 187, 293, 297–300, 303, 305–308
Chitting, 532
Chlorogenic acid levels, 518
Chromatography (Avicel F), 8, 837
CO_2 assimilation, 25, 30, 31
CO_2 enrichment, 25, 29, 30, 32
Clonal marketable yield, 589, 590
Cobolt 60 radiation, 631
Compensatory growth after defoliation, 535
Consumer acceptance of yellow fleshed varieties, 539
Consumer satisfaction survey, 544
Continuous culture, 101
Controlled environment, 26
Correlation of yield and specific gravity in the U.S.D.A. breeding program, 524, 525, 587
Cover crops, 463
Critical nutrient levels, 461, 466, 467
Crop growth rate, 277, 279, 281, 285, 289
Cropping systems, 540
Crop rotations, 103, 105, 515
Cultural practices for scab control, 524
Cut seedpiece size, 151–153–155–158
Cut vs whole seed fungicide treatments, 374
Cytokinin activity, 125, 133
Datalogger CR-21, 393
Delayed emergence, 693
Dephosphorylation, 10
Desiccants, 542
  Ametryn, 542
  Dinoseb, 53–60
  Diquat, 53, 55–61, 367, 542
  Endothol, 53, 55–58, 60, 542
  Paraquat, 53–60
  Sulfuric acid, 53, 54, 56–61
  Urea-sulfuric acid, 61
Desiccation values, 56–59
Detecting wilt resistance in seedlings, 526, 527
Disease diagnosis, 536
Disease onset, 391
Disease resistance, 125, 126, 131
Dormancy, 731
Dynamic methods for bruise testing, 402
Electrophoresis, 242, 517, 518, 813–815, 818
ELISA, 69, 139–141, 449, 451–454, 512, 520, 522, 525
Elite seed stock, 450, 457
Enzymes
  Isozyme analysis, 503
  Lipsoxyginase, 550

Malate dehydrogenase, 503
Peroxidase, 550
Polyphenol oxidase, 522, 550
Phosphoglucomutase, 504
Phosphoglucose isomerase, 504
Triosephosphate isomerase, 504
6-phosphogluconate dehydrogenase, 504
Enzymic browning, 522
Evapotranspiration, 567–569
Family effects on storability, 249
Fertilization
Band placement, 462
Calcium related disorders, 513
Early nitrogen rates, 464, 465
Foliar fertilization, 525
Midbloom nitrogen rates, 464–466
Nitrate leaching, 462, 463, 467
Nitrogation strategies, 551
Nitrogen rates, 461, 463
Nitrogen response, 543
Nitrogen sidedressing, 461
Nitrogen split applications, 463
Nitrogen timing, 461–463
Nutritional monitoring, 552
Petiole nitrate nitrogen, 543
Post mid-bloom leaf nitrogen levels, 466–468
Potassium rates, 543
Potassium sources, 543
Tuber initiation leaf nitrogen levels, 468
FASTCLVST, 749
Flower abnormalities, 17, 18
Flower abscission, 47–49
Flower induction methods, 47
Fluorescent compounds, 536
Fluorescent microscopy, 524
Fluorochroming, 498
Foliar injury, 83–87, 91
Foliar solanine levels, 543
Formaldehyde treatment, 693, 695, 698
French fry color, 76
FTC apparatus, 529
Fungi
Alternaria solani, 185, 250, 391, 394, 640, 643
Black dot, 506
Choanephora cucurbitae, 640
Colletotrichum coccodes, 104, 506
Early blight, 125, 129, 150, 508
Early dying, 126, 528, 541
Fusarium dry rot, 357, 358
Fusarium oxysporum, 357, 359, 360, 362, 363
Fusarium roseum var Sambucinum, 358, 363, 703, 707
Fusarium solani, 357–359, 362, 363
Fusarium solani spp. Coeruleum, 358, 363, 703, 707
Fusarium spp., 104, 250, 640
Fusarium sulphureum, 358
Late blight, 125, 150, 227–229, 417, 516
Late blight resistance, 530
Macrophomina cucurbitae, 640
Phoma exigua var. Faveata, 10, 106
Phytopthora infestens, 150, 185, 227, 228, 230, 231, 417–422, 504, 516, 530, 703, 707
Pink eye, 521, 536, 703
Potato wart, 301, 495, 496
Pseudomonas fluorescens, 536
Rhizoctonia solani, 97, 104, 106, 107, 693, 694, 709, 713, 821, 822, 832, 833
Rhizoctonia solani (AG-2-1), 699, 720
Rhizoctonia solani (AG-2-2), 720
Rhizoctonia solani (AG-3), 365, 368, 370, 371, 373–376, 530, 709–712, 715, 719
Rhizoctonia solani (AG-5), 720
Rhizoctonia solani (AG-9), 699, 720
Rhizoctonia solani-effect on yield, damage and quality, 537, 821, 823, 824
Sclerotinia sclerotiorum, 104
Silver scurf, 301–310
Spongospora subterranea, 104, 105
Stem canker, 693, 694
Synchytrium endobioticum, 104, 150, 301, 495, 497
Thanatephorus cucumeris, 693, 694, 697, 710, 822
Verticillium albo-atrum, 104, 106, 521, 707
Verticillium dahliae, 104, 107, 125–134, 515, 521, 527, 528, 550, 640
Verticillium tricorpus, 515
Verticullium-water interactions, 541
Verticullium wilt control by co-innoculation with *Pratylenchus Penetrans,* 542
Uromyces phaseoli, 418, 420
Fungi races of *Phytopthora infestans,* 418, 420
Fungicides
Benlate, 138
Benomyl, 138
Byfolon, 138
Captafol, 129
Carbenicillin, 508
Cefatoxime, 508
Isolate BC8, 315–319, 322–325, 327–329

Kanamycin, 508
Mancozeb, 76, 129, 368, 372–374
Pentachloronitrabenzine, 138, 368, 372, 374
Terraclor 75 WP, 368
Thiabendazole, 368, 372–374
Tops 2.5 D, 723
Triadimefon, 509
Fungicide seed treatments, 723, 724, 728
GA-7 Magenta vessel, 33
Glucose forming potential, 545
Glycoalkaloids, 167, 186, 300, 544
Dihydro-chaconine, 544
Dihydro-solanine, 544
Greenhouse seedlings, 94
Growth and dry matter partitioning, 540
Growth chambers, 844
Growth containers, 97
Growth regulation
Ethylene analysis, 419
Ethylene synthesis, 417, 419–422
Gibberellin activity, 125, 133
Growth retardent activity, 125
Growth retardents, 254
Pytoalexins synthesis, 418
Tuber inducing agents, 36
Growers information sources, 471, 477–481
Dillman mail survey, 473
Farming attitudes, 473
Farm information adequacy, 476, 477
Idaho producers characteristics, 474, 475
Mann-Whitney U test, 473
Multiple classification analysis, 473
Potato growers problems, 484–486
Social survey research, 473
Growth medium, 96, 97
Growth models, 391–393
Growth regulators
Abscisic acid (ABA), 254–256
Benzyladenine (BA), 125, 127–135
Chlorofluenol, 125–128, 130, 131, 134, 135
Chlormequat, 127, 128, 130
Chlorocholine chloride (phosphon), 255, 256
Colchicine, 185, 685
Diminozide (B995), 125, 127, 128, 130, 131, 134, 135, 245–256
EDTA, 815
Ethephon, 61, 175, 517
Ethylene, 126
Gibberellic acid, 126–130, 133–135, 211, 212, 534, 793, 795
Glucosinolate, 515
Indole acetic acid, 125–134
Maleic hydrazide, 176, 254–256, 308
Mefluidide, 75–81
Morphactin, 126
Napthalene acetic acid (NAA), 125–135
N-dimethyl succinamic acid, 254
Nucleic acid, 240, 815
Morphactin, 126
N-dimethyl succinamic acid, 254
Nucleic acid, 240, 815
Nucleotidic (ATP), 6
Paclobutrazol, 513
Picloram, 535
RNA polymerase, 6
RNA ribosomal, 6
Skikemic acid dehydrogenase, 504
Trans-cinnamic acid, 254, 255
Triadimefon, 509
2, 4-D, 535
Growth simulation model, 535
Hail damage effects on quality, 552
Harvest index values, 30
Heat stress, 63
Heat stress tolerance, 35, 36, 63, 64, 66
Herbicides
Eptam (EPTC), 76
Diquat, 53, 55–61, 511
Dinoseb, 53–60, 129, 175
Glyphosate, 695
Metolachlor, 463
Metribuzin, 83–87, 367, 463, 565
Herbicide sensitivity, 83, 84, 88, 308
Hollow heart, 165–167, 169, 170, 308
Hollow heart causes, 165, 167, 169–175
Hollow heart control, 165, 180
Hollow heart detection, 165, 176–179
Hollow heart development, 165, 168, 169
Hollow heart types, 167
HPLC analysis, 544
HS1-SF600 electroporesis apparatus, 820
Hunter laboratory spectrometer model 025, 77
Hymenia on aerial stems, 709, 713, 719
IEC refrigerated centrifuge B-20A, 318
Impact pendulum, 405, 406
Inbreeding, 109, 747, 751
Infrared analyzer, 27
Infrared photography, 497
Infrared spectrophotometry, 215, 216, 219, 223, 224
Insect resistance management, 521
Insecticides

Acephate, 451, 525
Aldicarb, 128, 129, 525
Carbaryl, 76, 129
Carbofuran, 463
Endosulfan, 367
Fenvalerate, 367
Malathion, 452
Oxamyl, 451, 525
Thuringiensin, 5
Insects
Aphid diotypes, 455, 456
Aphis nasturtii, 449, 450, 453, 455, 456
APHIS, 497, 498
Aphid transmission, 449, 525
Aultocarthum solani, 449, 450
Chrysomelobia labidomerae, 161
Coleoptera, 6
Colorado potato beetle, 105, 129, 161, 162, 521, 523, 535, 575–578, 582, 583
Diptera, 6
Ectoparisitic mite, 161
Empoasca fabae, 527
Galleria mellonella, 6
Hymenoptera, 6
Isoptera, 6
Leafhopper nymphs, 527
Lepidoptera, 6
Leptinotarsa decemlineata, 161, 575
Macrosiphum euphorbiae, 449, 450
Malacasoma americanum, 161
Myzus persicae, 139, 449–458, 534
Orthoptera, 6
Physalis floridana, 139
Phythorimaea operculella, 549, 583
Pyemotes tritici, 161, 162
Rhopalosiphum padi, 449, 450, 453, 455, 456
Solinopsis invicta, 161
Straw itch mite, 161
Tuberworm moth, 549, 583, 640
Viruliferous aphids, 452
Intensive cultivation, 462
Internal quality correlation, 462
In vitro cultivated collection (CIP), 264
In vitro germplasm conservation, 253, 254, 256, 259
In vitro tuberization, 35–38, 41
Irradiance, 201–203
Irrigation
Furrow vs sprinkler irrigation, 528, 548
Sprinkler and drip irrigation, 566
Isoenzyme electrophoresis, 264, 265
Isolate virulence, 709–711
Jensen evapotranspiration model, 541
Knobby tubers, 151
Lab-line environmental shaker, 318
Leaf antitranspirant, 553
Leaf area development, 282
Leaf area index, 277, 281, 282
Leaf-bud cuttings, 66
Leaf water potential, 284
Li-Cor LI 6000, 28
Life support systems, 25, 33
Light levels, 201–203, 205
Liquid chromotography, 536
LT-7000 spectrophotometer, 216, 218
Magenta 2-way caps, 844
Malformed tubers, 151
Management using integrated computer software, 547
Media
CNE broth, 8
Cornell Mix A, 66, 97
Gelite medium, 35–37
Hoagland solution, 6
Lima bean agar, 418
Machado and Shupe medium, 37
Murashige and Skoog medium, 262, 843 844
p-nitrophenyl maltohytaoside, 510
Pro-mix, 452
Propogation medium (MS salts + sucrose), 254
Starch agar, 510
Sugar-agar medium, 36, 37
Metabolism of thuringiensin, 7
Microtuberization, 843, 845
Microtubers, 41, 42, 843–847
Microwaving suitability (varieties), 549
Modeling phenology, 425, 430–431
Modeling soil moisture deficit-yield, 541
Moisture availability, 173
Monosacchoride analysis, 837
Morphological abnormalities, 17
Multispectral imagery, 546
Nematodes, 101, 103
Cyst nematode, 145, 640, 679
Ditylenchus destructor, 103
Globodera spp., 103, 105–107, 613, 640, 679, 703
Golden nematode, 145
Meloidogyne spp., 105–107, 640, 649
Meloidogyne chitwoodi, 103, 104
Meloidogyne hapla, 103, 104
Paratrichodorus spp., 103, 105

Pratylenchus spp., 103, 105, 515, 528
Trichodorus spp., 103
Neo-tuberosum parental lines, 109
Net assimilation rates, 281, 285, 288, 290
NIR spectrophotometer, 216, 219
Nodal cuttings, 844
Nondestructive determination of dry matter, 216, 219
Non-starch polysacharides, 835–840
Organic removal from wastewaters, 527
Organophosphate resistance, 521
OX-3000 oxidizer, 7
P.A.A. Affairs
Annual meeting abstract form, 644, 740
Annual meeting sites of the P.A.A. since 1914, 853
Call for graduate student papers for 1990 annual meeting, 644, 740
Call for nominations for Honorary Life Members, 685
Call for papers for 1990 annual meeting, 644, 740
Committees for 1989–1990, 690
Financial statement, 770
Guidelines for P.A.A. symposia, 397
Guidelines for site selection and planning for annual meetings of P.A.A., 335
International conference on crop rotations, 101–108
Life Members, 687 (1947–1989)
Richard W. Chase, 593
Monty D. Harrison, 595
John Gregory Hawkes, 597
Gene Shaver, 599
Membership list of the P.A.A. 1989–1990, 855
Minutes of the 73rd annual meeting, 762
Minutes of the new 1988–89 executive committee meeting, 755
Minutes of the new 1989–90 executive committee meeting, 767
Obituaries
Thomas H. Hankins, 188
H.S. Potter, 555
Papers published in Volume 30 (1987) of *Potato Research*
Papers published in Volume 31 (1988) of *Potato Research*
Past Officers of P.A.A., 849
Pre-registration for 73rd annual meeting of P.A.A., 190–199
Potato variety inventory-1989, 314
Program for the 73rd Annual Meeting of P.A.A., 337–356
Reports, 769
Advertising manager, 777
Business editor, 776
Editorial office, 775
Finance committee, 773
Graduate student competition, 783
Honorary Life Membership, 782
International relations, 783
Membership committee, 779
Membership secretary, 778
Nomination committee, 785
Site selection committee, 784
Treasurer's 1988–89, 769
1989–90 section chairs, 690
Section reports
Breeding and genetics, 785
Extension, 787
Pathology, 788
Physiology, 789
Production and management, 790
Seed certification, 786
Utilization, 790
Selection procedures for Honorary Life Members, 686
Winter meeting of seed certification section, 333
PAGE, 37
P-day values, 391, 394
Partitioning coefficient, 277, 288, 289
Pectic substances, 836
Periderm maturation, 95
Peruvian wild species, 1
Phosphorous fixation, 462
Photoasimmilates, 201, 206, 209, 211
Photoperiods, 64, 843, 845
Photosynthetic photon flux, 27, 37
Photovolt reflectance meter, 547
Photosynthetic activity, 847
Physiological days, 391, 392, 394
Plant distribution of thuringiensin, 9
Plant hormones, 126, 134
Plantlets, 27, 37
Plant maturity, 391
Plant morphology, 133, 135, 201, 212, 278
Plant resistance, 126
Plant senescence, 126, 131
Plant species
Alfalfa, 524
Amaranthus retroflexus, 550
Amorphophyllus konjak, 202

Barley, 543
Barnyard grass, 550
Brassica juncea, 524
Brassica napus, 515
Brassica spp., 557, 561
Calceolaria, 238
Chenopodium quinoa, 138
Chusquea, 238
Composite spp., 512
Cotton, 6
Cruciferae spp. 512
Datura stramonium, 138
Echinochloa crus-galli, 550
Eggplant, 316
Gossipium hirsutum, 6
Green pepper, 316
Konjak, 202
Leguminosae spp., 512
Lilium, 48
Lima beans, 418
Lolium tumulentum, 202, 211
Lycopersicon esculentum, 240
Maize, 253
Melastomataceae, 238
Monnina, 238
Nicotiana debneyi, 450, 451, 453, 456
Nicotiana glutinosa, 138, 139
Nicotiana occidentalis, 139
Nicotiana sylvestris, 671
Nicotiana tabacum, 671
Onion, 216
Oriental mustard, 524
Peanut, 210
Polygonacea, 512
Radish, 202, 210
Rannunculus, 238
Red clover, 524, 543
Redroot pigweed, 550
Rice, 253
Ryegrass, 543
Sorghum sudanense, 202, 211
Stipa ichu, 4
Sugarbeet, 79
Sunflower, 202, 210
Tobacco, 316, 671
Tomato, 211, 240, 316
Umbelliferae spp., 512
Wheat, 30, 210, 253
Winter rye, 524, 543
Plant stands, 369, 375
Plant vigor, 369, 375
Plug dislodger, 95
Plugs, 94, 95
Plug seeders, 94, 95
Polytron, 240, 241, 244
Polytron homonglnizer, 7
Post harvest disorders, 503
Potato breeding seedlings, 93
Potato biomass, 201, 202, 210
Potato black scurf, 365, 366, 372, 374, 376
Potato cookness model, 529
Potato cultivars
  New
    Ermosa, 291–301
    Gemchip, 538
    Idita Red, 741–745
    Konona, 145–150
    Michigold, 510
    Nema Rus 703–707
    Saginaw Gold, 303–310, 491, 510
    Somerset, 185
  Old
    Alabaster, 609
    Alaska, 114, 695
    Allerfrukeste, 168
    Alpha, 26
    Anita, 611
    Anoka, 712
    Aquila, 611, 617
    Aracy, 504
    Arnica, 611, 617
    Aroostook Wonder, 614
    Atlantic, 114, 277, 278, 290, 306–310, 489, 490, 507, 512, 513, 516, 518–521, 524, 526, 532, 534, 537, 548–551, 553, 615, 733
    Atzimba, 109, 112, 116, 537, 538, 648, 793, 795–797
    Ausonia, 504
    Bake King, 695
    Belleisle, 358
    BelRus, 251, 522, 545, 549, 703, 707
    Beauty of Hebron, 613
    Bintje, 674
    Blue Victor, 613
    British Queen, 254
    Brodick, 510
    Brown Beauty, 613
    Busola, 609, 611, 614, 617
    Butte, 84, 408–410, 413
    Caribe, 162
    Cariboo, 616
    Cascade, 615
    Centennial Russet, 615, 703, 707

Champion, 672
Chata Blanca, 257
Chieftan, 549, 616
Chiquita, 504
Cobbler, 26, 168, 178, 295, 496, 531, 613, 616, 725
Conchita, 111, 114
Conestoga, 293, 296–298, 300, 532, 615, 616
Corahila, 319
Corsima, 113, 114
Craigs Defiance, 611
Crystal, 615
Daber, 603, 609, 611, 614, 617
Dakchip, 615
Delta Gold, 549, 615
Desiree, 35–43, 425, 428, 431, 432, 434, 509, 513, 611, 672, 674, 680
Dr. McIntosh, 257
Dunmore, 613
Earlaine, 294, 612
Early Goodrich, 611
Early Ohio, 178
Early Rose, 609, 613
Early Sunrise, 609
Early Vermont, 613
Edith, 140, 141
Elba, 229, 230
Epicure, 497
Erdgold, 611
Erick, 616
Erste von Fromsdorf, 609
Excelsior, 613
Feltwell, 681
Fina, 111, 167
Fortyfold, 672
Fursten Hatzfeldt, 609
Garnet Chili, 612, 613, 617
Golden, 615
Golden Chippewa, 614
Green Mountain, 451, 613, 741, 744, 821–833
Greta, 111, 113, 114
Hampton, 616
Hellos, 609
Highlat Russet, 704
HiLite, 551
Hindenburg, 611
Houma, 294
Hulish, 140, 141
Hudson, 16, 17, 229
Hunter, 358
Iduna, 611
Imperator, 609, 613
Imperia, 617
Jackson White, 613
Jemseg, 293, 295–298, 300, 301, 449, 451, 453, 532
Katahdin, 16, 17, 47–51, 113, 116, 146, 150, 178, 185, 425, 428, 430–432, 434, 449, 450, 603, 725
Kennebec, 26, 35–38, 40–43, 79, 185, 229, 230, 408–410, 413, 418, 425, 428, 431–432, 542, 550, 575, 577–579, 695, 714, 716, 718, 725, 843–847
Krantz, 616, 725
Kufri Jyoti, 116
Lake, 611
Lemhi Russet, 84, 173, 408–410, 413, 531, 535
Maine, 28, 113
Majestic, 254
Maris Bard, 673
Maris Piper, 671, 672
Mariva, 138, 139, 141, 143, 257
Marygold, 496, 615
Menominee, 611
Merrimack, 111, 147–149, 304, 512, 551, 733
Monnalisa, 504
Monona, 145, 146, 148–150, 229, 230, 305, 309, 310, 549, 589
Murca, 649
Myatts Ashleaf, 672
Norchip, 75, 76, 79–81, 147, 169, 229, 230, 300, 303, 305–310, 408–410, 413, 425, 431, 432, 491, 507, 511, 513, 517–519, 522, 530, 531, 538, 543, 616
Norgleam, 616
Norgold Russet, 167, 169, 170, 173–177, 517, 518, 530, 534, 551, 573, 720
Nordak, 616
Norland, 25–33, 79, 80, 169, 408–410, 413, 513, 712, 714, 716, 720, 821–832
Nooksack, 151–157, 159, 548
Onaway, 296, 299, 307, 308, 542, 616
Ontario, 611
Oromonte, 615
Ostragis, 617
Palo, 609, 615
Parnassia, 611
Peconic, 145
Peerless, 613
Pele, 609

Pentland Crown, 140, 141, 143
Pentland Dell, 510
Pepo, 611
Petronius, 611, 613, 617
Pioneer, 127
Pitiquina, 257
Populair, 611
President, 611, 614
Pungo, 462
Record, 510, 514, 681
Red Beauty, 742
Reddale, 550
Red La Soda, 84, 408–410, 413, 573
Red Pontiac, 169, 449, 451–456, 509, 517, 530, 717, 718, 843–847
Reichkanzler, 611
Richters Jubel, 603, 609, 611, 613, 617
Rideau, 725
Rode Eustaling, 742
Rosa, 254, 615
Rough Purple Chili, 603, 609, 612, 617
Rural New Yorker #2, 614
Russet Burbank, 25–33, 35–42, 53, 55, 56, 60, 76, 79, 80, 125–129, 131–135, 151–157, 169, 170, 174, 176, 201, 203, 205, 207, 212, 215, 217, 248, 303, 305, 308, 408–410, 413, 451, 455, 456, 506, 507, 515, 518, 520, 522, 525, 526, 528, 530, 531, 540–543, 545, 548, 549, 551, 552, 563, 565, 571, 573, 589, 613, 670, 674, 680, 711–713, 716, 718, 725, 744, 814, 835
Russet Norkotah, 549, 551
Russet Rural, 167, 170, 171, 173, 175, 496
Russette, 540, 542, 707
Sangre, 725
Santo Amor, 142
Sebago, 230, 376, 451, 455, 725
Seminole, 616
Serrana, 109, 116, 143, 537, 793, 795–797
Shepody, 176, 303, 305, 308, 451, 455, 507, 521, 540, 549, 551, 723, 725, 843–847
Shoshoni, 170
Silhonetto, 611
Simcoe, 309, 310
Snowflake, 616
Spate Dauer, 609
Sunrise, 615
Superior, 6, 38, 185, 293–298, 300, 301, 306, 307, 376, 461–463, 504, 512, 513, 532, 542, 549, 611, 695
Suttons Flourball, 609, 611, 614, 617
Tobique, 358, 542
Trent, 309, 310, 616
Triumph, 613
Victoria, 609
Victoria Auguste, 609
Viking, 174, 518, 519
Villaraela, 603, 609, 614, 617
Waimea, 609
Wauseon, 705
White Rose, 613, 733, 822
White Star, 613
Wilhelm Korn, 609, 614
Wilja, 510
Yankee Chipper, 491
Yukon Gold, 296, 532, 723, 725, 843–847
Numbered seedlings
5M 619-1, 17
5M 738-3, 17
5M 1044-1, 17, 20
5M 1097-2, 17
5M 1140-3, 17
5M 1168-2, 17, 20
5M 1371-1, 17, 20
5M 1913-7, 16, 20
7XY.1, 109, 648, 649
65ZA-5, 648
10337de40, 513
22561, 530
24642, 294, 615
217450, 530
377892.7, 649
378015.3, 109, 116
378015.16, 109, 116
378676.6, 648, 649
41956, 294, 450, 452–454, 615
41989, 615
43106, 615
A082260–8, 525, 526
A66107–51, 125, 127, 129, 131, 132, 135, 408–410, 413, 515
A7411–2, 551
A76260–16, 358
AF236–1, 185
AF303–5, 549
AJU–69.1, 141, 142
AVRDC 1287.19, 114, 116
B96–56, 294, 616
B3672–3, 615
B3692–1
B3895–13, 294, 615

B5141-6, 185, 615
B6097-9, 185
B6140-3, 704
B6516-5, 185
B7160-1, 704, 705
B7160-4, 704, 705
B9540-62, 704, 705
BL1.5, 141, 142
BL2.9, 649
BR63.76, 142
BR7093-24, 538
C1-884, 425, 428, 431, 432
C14-343, 425, 428, 431, 432, 434
CFK69.1, 109, 116
CFQ.69.1, 142
CIP 700031, 361, 362
CIP 700114, 361, 362
CIP 700575, 361, 362
CIP 700614, 361, 362
CIP 700726, 361, 362
CIP 700729, 360, 362
CIP 701488, 360, 362
CIP 702734, 360, 362
CIP 702870, 361, 362
CIP 703264, 361, 362
CIP 703351, 360, 362
CIP 703526, 360, 362
CIP 703660, 360, 362
CIP 703855, 361, 362
CIP 703861, 360, 362
CPC 1673-1, 615
D45, 513
D55, 513
DM56-4, 508
DTO-2, 645, 649
DTO-28, 537, 538, 645, 649
DTO-33, 645, 649
F51053, 294
F52016, 294
F52047, 294
F60019, 294
F72217, 294
FL657, 549
G59-1, 615
GS9-1, 294
HPS113, 113
HPS114, 113
I 853, 142
I 931, 109
I 1035, 109
IA 872-4, 304
IA 902-3, 304
KTT-60.21.19, 141, 142
LT-1, 425, 428, 431, 432, 434, 649
LT-2, 35-38, 40-43, 112
LT-3, 644
LT-4, 644, 649
LT-5, 644, 649
LT-6, 644, 649
LT-7, 109, 116, 537, 649
MFS-113, 113
MS002-171Y, 304
MS321-38, 304
MS700-83, 543
MS709, 304
N561.5, 649
ND671-4, 518
ND860-2, 504, 518, 519
ND2008-2, 518
ND2221-6, 519
NDD277.2, 112, 114
NY59, 18, 19
NY62, 16
NY66, 16, 18, 19
NY67, 18, 19
NY68, 18, 19
NY69, 18, 19
NY70, 18, 19
NY71, 145
NY76, 16, 17
PG295, 142
PI161169, 578
PI161175, 578
PI175401, 18
PI186556, 578
PI205623, 615
PI214372, 615
PI225682, 504
PI275232, 578
PI462323, 146
R128.6, 537, 793, 795-797
ROSS 55959-96, 304
S6.39-4-40, 178
S148-17, 170
S438, 513
T4-20, 145
T73-29, 16, 18, 19
TRP132, 531
TRP133, 531
USW-3, 15
USW-4, 15
US-W730, 803-809
US-W973, 803-809
US-W4139, 803-809

W231, 512, 551, 733
W245-2, 704
W639, 504
W760, 551, 733
Potato cultivar identification, 518
Potato french fries, 185, 835, 836
Potato grade variability, 548
Potato quality, 53, 55, 60, 61, 75, 84, 133, 134, 147, 185, 544, 551, 556, 557, 570, 571, 707
Potato species
Solanum acessions, 60, 70, 72, 382, 385, 386, 530, 576, 655
Solanum spp., 63, 64, 238, 379, 380, 517, 531, 575, 576, 629, 630, 632, 635, 804
abancayense, 383
acaule, 72, 616, 617
acroglossum, 382, 383
acroscopicum, 383
alandiae, 383
amayanum, 1
ambosinum, 383
andigena, 112, 114, 357-360, 379, 382, 385, 388, 537, 547, 617, 641, 643, 644, 650
berthaultii, 66, 69, 71, 240, 379, 382, 512, 534, 575, 576, 578, 579, 581
boliviense, 383, 631
brachistotrichum, 383, 524
brachycarpum, 67, 382, 383
brevidens, 382, 383, 504, 505, 511, 524, 544, 634, 635, 675
bukasovii, 383, 553, 634, 731, 736, 737
bulbocastanum, 66, 67, 70, 379, 382, 383, 386, 524
canasense, 631, 731-732
candolleanum, 383
capsicibaccatum, 384
cardiophyllum, 384, 524
chacoense, 15, 47-49, 66, 67, 69-72, 379, 382, 384, 387, 388, 505, 524, 534, 539, 575, 576, 578, 579, 581, 616, 617, 625, 631, 634, 635, 637, 644, 649, 803-809
chomatophilum, 384
clarum, 511, 546
commersonii, 66, 384, 524, 634, 637
demissum, 66, 67, 69-72, 382, 384-387, 537, 575, 576, 578, 579, 581, 603, 609, 615-617
doddsii, 384, 385
edinense, 615
ehrenbergii, 358
etuberosum, 524
fendleri, 66, 384, 503, 546, 617
fernandezianum, 384, 524
gandarillassi, 384
gourlayi, 384, 385, 387, 553, 731-733
guerreroense, 384
hintonii, 546
hjertingii, 384, 386, 503, 521
hougasii, 384, 386, 387
hypacrarthram, 384
incamayoense, 384
infundibuliforme, 384, 631, 633, 731-737, 803-809
iopetalum, 384
jamesii, 69, 384, 524, 534
kurtzianum, 66, 69, 384, 616, 617, 731-733, 803-809
leptophyes, 384
lesteri, 384, 546
lignicaule, 384
marinasense, 384
medians, 4
megistacrolobum, 384, 387, 575, 578, 579, 581, 803-807
michoacanum, 546
microdontum, 66, 383-385, 616, 617, 631, 649, 804
mochicense, 384, 386, 524
morelliforme, 384, 511
multidissectum, 384, 553, 731, 733, 737
neocardenasii, 384
neorosii, 384
nigrum, 209
okadae, 384
oplocense, 343, 386
pampasense, 384
papita 69, 384, 503
petota, 511
phureja, 67, 112, 114, 169, 382, 384-388, 504, 505, 513, 535, 537, 557, 563, 616, 617, 629-632, 642, 649, 650
phureja acessions, 558, 738
pinnatisectum, 384, 385, 524, 575, 576, 578, 579, 581
piurae, 385
polyadenium, 385, 386, 575, 576, 578, 579, 581
polytrichon, 385-387
raphanifolium, 385, 617, 631
sanctae-rosae, 385, 631
salasianum, 235-238

scabrifolium, 385
schenckii, 385
sogarandinum, 385
sparsipilum, 385, 625, 644, 649, 731, 733, 737, 804
spegazzinii, 69, 358, 385, 575, 576, 578, 579, 731, 733, 737, 803–809
stenophyllidum, 385
stenotomum, 385, 387, 537, 616, 617, 642
stoloniferum, 15, 67, 69, 70, 72, 304, 379, 382, 385–387, 537
sucrense, 69, 358, 385
tarijense, 379, 382, 385, 386, 512, 534, 575, 576, 579, 581, 631, 633
toralapanum 385, 616, 617
trifidum, 385, 524, 575, 576, 578, 579, 581
tuberosum, 5, 6, 13, 15, 25, 47, 48, 53, 64, 109, 112, 114, 125, 165, 169, 201, 215, 216, 227, 228, 247, 315, 317, 319, 363, 391, 392, 418, 461–463, 504, 509, 510, 512, 513, 520, 524, 526, 537, 543, 544, 557, 563, 587, 609, 612, 617, 639–641, 644, 650, 669, 710, 803, 804, 821
tuberosum spp. tuberosum, 385, 731, 732
tuberosum cv. Katahdin, 385
tuberosum haploids, 803–807
venturii, 385
vernei, 66, 68, 358, 553, 617, 731–733, 736, 737
verrucosum, 385, 511, 553, 732
urubambae, 237, 238
Potato sticks, 149
Potato tuber bruise resistance, 403, 407
Potato tuber density, 216, 221, 224
Potato tuber disks, 510
Potato tuber impact damage, 401, 402
Potato tuber shatter bruise, 401, 409
Potato tuber shatter index, 401, 409, 414
Potato tuber thumper, 404
Potato waste waters, 437–439
  Aerobic digestion, 438, 441
  Anaerobic digestion, 437, 439, 446
  Batch digestion, 437, 441, 446
  Chemical oxygen demand, 438, 440, 445
  Mesophilic digestion, 437, 439, 446
  Total organic carbon, 439
  Total suspended solids, 437, 440, 444, 495
Precutting seed, 723
Precut versus fresh cut seed, 726, 727
Pre-sowing treatments (TPS), 795
Processing potential often low temperature storage, 509
Processing quality, 15, 81, 303, 309–311
Processing quality related to soil properties, 507
Production systems, 101
Protein electrophoresis, 37, 264–266
Protoclone reactions, 516
Pyrethoid resistance, 521
PVY immunity, 640
Quosi-static methods of bruise testing, 402
Radioactivity, 209
Relative leaf growth rate, 283, 286
Reused buffers, 813, 815–817
RFLP analysis, 266
Rhizobacteria, 105
Roller press, 244
Root pulling resistance, 519
Root system development, 519
Row covers for aphid control, 525
R-page, 240, 813–815, 817
Russetting, 75, 80, 81
Sample oxidizer, 7
Sap innoculation, 139
Scintillation spectrometry, 204
Sclerotia, 646, 709, 821, 824, 831, 833
Screening for heat tolerance, 63
SDS-PAGE, 35
Seedling vigor, 793, 796
Seedpiece treatments, 368, 372–374
Seed productivity, 151
Seed tuber size, 151, 152, 154, 158
Selection for storability, 248, 249
Serological analysis, 140
Sex hormones, 583
Shoot growth, 66
Shoot regeneration of varieties, 535
Shoot weights, 65
Short duration water stress, 543
Short-term cropping, 543
Sieve/chloroform spore detection system, 498
Skin type effects on storability, 248, 249
Soil-borne diseases, 101
Soil-borne pathogens, 366, 367
Soil-borne pests, 101
Soil erosion, 279
Soil fumigation, 499
Soil moisture deficits, 520
Soil penetrometer, 279
Solar radiation-Hawaii, 280
Solids content components, 533
Solids distribution, 526
Specific gravity, 75–77, 79, 80, 111, 134, 145,

147, 151, 186, 189, 215, 293, 295–300, 303, 306–308, 507, 707, 726, 731, 744, 823, 835–840
Specific gravity brining procedure, 217
Specific gravity, dry matter, starch relationship, 216
Specific gravity variations within tubers, 218, 220
Spectrometry, 7
Spreadsheet software, 523
Sprinkler irrigation management, 528
Sprout control, 308
Sprouting activity measurement, 533
Sprouting treatments, 513
Stem colonization, 125, 126, 130–134
Stem cuttings, 806
Stem-end discoloration, 61
Stem-end dry measurements, 547
Stems per seedpiece, 151–153, 157, 159
"Starch Spot" disorder, 489
Storability, 247
Storage humidity, 247
Storage losses, 247
Storing true potato seed, 538
STS treatments, 7
Suberin precursors, 536
  Arachidonic acid, 550
  Cinnamic acid, 536
  Chlorogenic acid, 536
  Caffeic acid, 536
  P-coumaric acid, 536
  Tomatine acid, 544
Suberization, 491, 532
Subterranian stems, 696
Sugar ends, 151, 570
Sugars
  Dehyrasconbate, 514
  Dimutase, 514
  Fructose, 76, 310, 835, 839, 840
  Galatiose, 835–840
  Glucose, 76, 310, 835, 839, 840
  Glutalhione, 514
  Hexose, 514
  Invertose, 514
  Peroxidose, 514
  Polyvinol pyrralidone, 510
  Reductose, 514
Sunburning, 185
Surfactants, 53, 55, 60
Symptomatology, 139, 520
Temperature, 64, 545
Temperature effects on tuber quality, 529, 545
Temperature and moisture in potato storages, 520
Thermal time (daily), 426–428, 430
Thermal time modeling, 425, 427, 428, 431, 432
Thermographic images, 546
TLC plates, 8
Top ranking varieties grown in U.S. and Canada-1984, 618
TPS progenies, 109, 110, 112–116
Transferable nodes, 257
Translocation of thuringiensin, 5, 7, 9
Translucent ends, 523
Transplant performance, 111
Transplant shock, 94
Tuber appearance correlations, 528
Tuber blackspot, 185
Tuber borne innoculum, 693, 695, 709
Tuber borne pathogens, 366, 364
Tuber dry matter, 215, 216, 220, 222, 223
Tuber age numbers, 151–155, 159
Tuber greening, 185
Tuber growth, 211
Tuber growth rate, 277, 287
Tuberization, 64, 211, 425, 426, 428, 435, 734, 735, 803–805, 807
Tuber malformations, 125, 128, 134
Tuber maturation, 54, 61
Tuber moth survey areas, 583, 585
Tuber numbers, 40
Tuber pelletization, 319
Tuber periderm, 75, 77, 80, 81
True potato seed, 65, 93, 109, 506, 537, 793, 795
Tuber proteins, 35, 43
Tuber set, 151, 152, 157
Tuber soft rot, 379, 380
Tyrosine levels, 511
Vapor conductance, 532
Varieties released in North American 1956–1985, 605–608
Ventilation rate control, 520
Vidover test, 531
Vine desiccation, 53–58
Vine desiccation timing, 511
Vine height, 83–85, 90
Vine killing, 53, 57, 61, 542
Vine maturity, 53, 83–85, 90, 91
Vine senescence, 54
Vine vigor ratings, 65
Virus, 105, 794, 813–816, 818

APLV, 143, 144
APMV, 143, 144
CEV, 240, 242
PLRV, 137–144
PMTV, 105
PSTV, 69, 239–242, 240, 243, 813–816
PVM, 450, 520
PVS, 137–141, 143, 449–457, 741
PVX, 137–144, 303, 310, 450, 640, 713, 741
PVY, 94, 105, 137–144, 293, 301, 303, 304, 310, 449, 451, 454, 457, 512, 525, 640, 744, 745
TRV, 105
Virus detection, 139
Virus diseases
Leafroll, 134, 454
Net necrosis, 703
Spidletuber, 238, 240, 241, 814
Virus isolates, 138
Virus resistance, 137, 138
Water stress, 526, 563
Water use efficiency, 573
Weakened plants, 369, 375, 376
Weed interference on yield and quality, 550
Weight loss and rot, 247
"White Knot" disorder, 489–491, 493
Wild genotypes, 253
Wilt severity, 130, 132, 133, 135
Wound healing, 532, 536
Yellow fleshed cultivars, 510
Yield components, 533
Yield loss model, 528
Yield loss predictions, 528
Yield reductions after hail damage, 552
Yield reductions due to late blight, 508
Yields, 30, 32, 33, 40, 53, 55, 60, 61, 75, 79, 84–89, 111, 125, 133, 134, 145, 147, 151, 156, 157, 159, 186, 187, 201, 205, 278, 293, 295–299, 305, 306–308, 370, 374, 541, 567–569, 571, 698, 707, 726, 744

Author Index

ADAMS, S.S. and W.R. STEVENSON. An expert for diagnosis of post-harvest potato disorders, 503, (abst).
ADIWILAGA, K.D. and C.R. BROWN. Isozyme analysis of hybrids between cultivated potato and tetraploid Mexican wild species, 503, (abst).
ALLEN, T., *see* Crowe, F.
AMSTADT, C. and S.J. PELOQUIN. New 2X, 3X, and 4X germplasm from 4X and 2X crosses, 504, (abst).
ANDERSON, N.A., *see* Hill, C.B.
ANDERSON, N.A., *see* Lorang, J.M.
ANDERSON, N.S., *see* Hoyos, G.P.
ANDRADE, N., *see* Ciampi-Panno, L.
ASIEDU, S.K., *see* Haliburton, T.H.
ASMATH, H., *see* Pallis, H.
AULD, D.L., *see* Davis, J.R.
AUSTIN, S., G.T. HABERLACH and J. HELGESON. Disease resistance and improvement in tuber quality in sexual progeny of protoplast-fusion hybrids of *Solanum*, 504, (abst).
BAER, D., *see* Gudmestad, N.C.
BAKER, K.W., *see* Keenan, M.K.
BAMBURG, J.B. and R.E. HANNEMAN, Jr. Effect of considering seedling performance when selecting parents demonstrating desirable tuber characteristics, 505, (abst).
BANI-AAMEUR, F., F.I. LAUER and R.E. VEILLEUX. Enhancement of *Solanum chacoense* with adopted clones of *S. phureja*, 505, (abst).
BANVILLE, G.J. Yield losses and damage to plants by *Rhizoctonia soloni*, 821, Kuhn.
BANVILLE, G.J., *see* Otrysko, B.E.
BARKDOLL, A.W. and J.R. DAVIS. The relationship of *Colletotrichum coccodes* to potato tubers and soil in Idaho, 506, (abst).
BAYLIS, A., *see* Davies H.V.
BEDO, K., *see* Leach, S.
BELNAP, W., *see* Corsini, D.
BERKOWITZ, G., *see* Win, K.
BERRIOS, D. and P. MALAGAMBA. A comparison among alternatives for using true potato seed technology, 506, (abst).
BHATIA, S.K., *see* Gwinn, K.D.
BINNING, L.K., *see* Stevenson, W.R.
BIRTH, G.S., *see* Dull, G.G.
BOE, A.A., *see* Ehlenfeldt, M.K.
BOERSIG, M., and D. MITTEN. Variability of specific gravity in tubers of regenerated potato lines, 507, (abst).
BOUCHER, A., *see* Singh, R.P.
BOYES, C.J., *see* Hogan, P.S.
BOYES, C., *see* Mitten, D.
BRIGHT, S.W.J., *see* Karp, A.
BRODIE, B.B., *see* Plaisted, R.L.
BROOK, R.C., *see* Forbish, T.D.
BROWN, B.D., J.E. HAMMEL and R.E. McDOLE. Properties of adjoining light and dark soils used for processed potato production in the Treasure Valley.I. Chemical, 507, (abst).
BROWN, B., *see* Hammel, J.
BROWN, C.R., *see* Adiwilaga, K.D.

BROWN, C.R., *see* Pavek, J.J.
BROWN, C.R., C.P. YANG and S. KWIATKOWSKI. Genetic characteristics of *Agrobacterium* transformed regenerants of diploid potato clones produced from leaf-disk co-culture, 508, (abst).
BROWN, J. and K. FOORD. Seedling-derived seed tuber weight and subsequent performance of clonals in later generations, 508, (abst).
BROWN, J. and G.R. MacKAY. Processing potential of potatoes after storage in low temperatures, 509, (abst).
BROWN, J., *see* Muneta, P.
BROWN, J., H.E. STEWART and R.L. WASTIE. Reduction of yield and yield components due to infection with late blight, 508, (abst).
BUSHWAY, A.A., *see* True, R.H.
BUSTAMEMTE, P., *see* Ciampi-Panno, L.
CALLIHAN, R.H., *see* Haderlie, L.C.
CALLOW, J.A., *see* Gubb, I.
CANTELLO, W.W., *see* Sanford, L.L.
CARLING, D.E. and C.H. DEARBORN. Idita Red: a tough skinned red potato for the cold soils and short growing seasons in Alaska, 741.
CARLING, D.E., R.H. LEINER, and P.C. WESTPHALE. Symptoms, signs and yield reduction associated with Rhizoctonia disease of potato induced by tuberborne innoculum of *Rhizoctonia solani* AG-3, 693.
CARLSON, J.E. and J.F. GUENTHNER. The information patterns of Idaho potato growers, 471.
CARTER, C.D., *see* Rahimi, F.R.
CASAGRANDE, R.A., *see* Drummond, F.A.
CHASE, R., *see* Coffin, R.
CHASE, R.W., *see* Silva, G.
CHASE, R.W., G.H. SILVA and R.B. KITCHEN. Pre-cutting of seed potatoes, 723.
CHASE, R.W., G.H. SILVA and R.B. KITCHEN. Performance of yellow fleshed varieties in Michigan, 510, (abst).
CHASE, C.A., V. SOUZA-MACHADO, R. COFFIN and R.A. FLETCHER. Effect of Triadimefon on *In vitro* produced potato plantlets, 509, (abst).
CHRISTENSEN, N.W., *see* Powelson, M.L.
CHRISTIE, B.R., *see* Loiselle, F.
CHUQILLANQUI, C., *see* Jayasinghe, U.
CIAMPI-PANNO, L., C. FERNANDEZ, P. BUSTAMENTE, N. ANDRADE, S. OJEDA, and A. CONTRERAS. Biological control of bacterial wilt of potatoes caused by *Pseudomonas solanacearum*, 315.
CISNEROS, P., *see* Dodds, J.H.
CLAPHAM, W.M., *see* Leach, S.
CLAPHAM, W.M., *see* Oberle, S.L.
COCHRANE, M.P. and C.M. DUFFUS. Amylolytic activity in stored potato tubers, 510, (abst).
COFFIN, R., *see* Chase, C.A.
COFFIN, R., *see* Keenan, M.K.
COFFIN, R., G.R. JOHNSTON, A. McKEOWN, R.Y. YADA, J. WILSON, M.K. KEENAN, M. FITTS, W. LANGENBURG, R. GARTON and D. YOUNG. ERMOSA: a white-fleshed first early, tablestock potato cultivar, 293.
COFFIN, R., R. CHASE, N. THOMPSON, G. JOHNSTON, A. McKEOWN, M.K. KEENAN, D. CRAVEN, R. KITCHEN, J. WILSON and R.Y. YADA. SAGINAW GOLD: a yellow-fleshed potato cultivar with medium-high specific gravity and excellent chip and french fry quality after storage, 303.

COFFIN, R., *see* Slimmon, T.
COLBORNE, D., *see* Nowak, J.
CONLON, R.L., D.C. NELSON and M.C. THORESON. Efficacy of rates of Diquat and X-77 for potato vine desication when applied at various times during the day, 511, (abst).
CONTI, E., D.M. SPOONER, K.J. SYTSMA and A. NICOLAUS. Maternal phylogeny of U.S., Mexican, and Central American potatoes, 511, (abst).
CONTRERAS, A., *see* Ciampi-Panno, L.
CORSINI, D.L., *see* Pavek, J.J.
CORSINI, D., J. PAVEK, W. BELNAP, W. PARK and B. DEAN. Evidence for highly conserved tuber tryosine levels among potato genotypes and implications for blackspot resistance, 511, (abst).
CORSINI, D., *see* Skrobacki, A.
CURWIN, D., *see* Stevenson, W.R.
CORSINI, D.L., C. THOMPSON and J.J. PAVEK. The effect of plant growth regulators on *Verticillium* wilt of potato, 125.
CRAVEN, D., *see* Coffin, R.
CROWE, F., *see* Hemphill, D.D., Jr.
CROWE, F., T. ALLEN, D. SAMSON, S. STAHL and J. DEBONS. Field survey of potential non-potato hosts of potato leafroll virus and potato *virus Y*, 512, (abst).
DARMO, E. and S.J. PELOQUIN. Parental combining ability and heterosis of 4X families from 4X x 2X crosses in potatoes, 512, (abst).
DARMO, E. and S.J. PELOQUIN. Performance and stability of nine 4X potato clones from 4X x 2X crosses compared with that of four commercial cultivars, 513, (abst).
DAVIES, H.V., D.K.L. MacKERRON, B. MARSHALL and A. BAYLIS. Effects of *Paclobertrazol*-nitrogen interactions on tuber-yield and quality, 513, (abst).
DAVIES, H.V. and L.S. TALBOT. Studies on the physiological basis for genotypes variation in susceptibility of tubers to internal rust spot (IRS)-a calcium related disorder, 514, (abst).
DAVIES, H.V., D.L. RICHARDSON, H.A. ROSS and G.R. MacKAY. Invertase and hexose accumilation in stored tubers, 514, (abst).
DAVIS, J.R., *see* Barkdoll, A.W.
DAVIS, J.R., L.H. SORENSEN and A.T. SCHNEIDER. The influence of several cropping practices upon the dynamics of *Verticillium* spp. in soil, 515, (abst).
DAVIS, J.R., L.H. SORENSEN, A.T. SCHNEIDER, S.L. HAFEZ, and D.L. AULD. Suppression of *Verticillium dahliae, Pratylenchus neglectus,* and nutritional benefits to Russet Burbank potato with *Brassica napus,* 515, (abst).
DEAHL, K.L., *see* Goth, R.
DEAHL, K.L., *see* Sanford, L.L.
DEAHL, K.L., *see* Sinden, S.L.
DEAHL, K.L., S.L. SINDEN and R.W. GOTH. Use of somaclonal variation and *In vitro* bioassays for the development and selection of late blight resistance, 516, (abst).
DEAN, B., *see* Corsini, D.
DEARBORN, C.H., *see* Carling, D.E.
DEBONS, J., *see* Crowe, F.
DEBOER, S.H. and M. McCANN. Detection of *Corynebacterium spedonicum* in symptomless potato plants of cultivars with varying tolerance to bacterial ring rot, 516, (abst).
DEJONG, H. Evaluation and implementation of several bedding plant technology components for the raising of potato breeding seedlings, 93.
DELINDO, L., *see* Huaman, Z.
DESBOROUGH, S.L., *see* Liedl, B.E.
DESTEFANO, L., *see* Dodds, J.H.

DODDS, J.H., *see* Lizarraga, R.
DODDS, J.H., J.M. JAYNES, L. DESTEFANO, M. YANG, P. CISNEROS and P. TOVER. Use of *Agrobacterium* plasmid vectors to transfer potential pest and disease resistance genes to potato, 516, (abst).
DOSTER, M.A., J.A. SWEIGARD and W.E. FRY. The influence of host resistance and climate on the initial appearance of foliar late blight of potato from infected seed tubers, 227.
DOUCHES, D.R., R. HAMMERSCHMIDT, K. LUDLAM and C. WALLACE. Factors which may influence the potato tuber's resistance to common scab *(Streptomyces scabies)*, 518, (abst).
DOUCHES, D., *see* Linnell, D.
DOUCHES, D., K. LUDLAM and E. VARGA. Electrophoretic survey of North American potato varieties, 518, (abst).
DOUCHES, D., B. SCHROETER, K. LUDLAM and K. HICKS. Allelic diversity among the *Solanum* species, Sect. *Petota*, 517, (abst).
DRAPER, M.A. and R.J. TAYLOR. The effect of *Ethephon* on tuber production of greenhouse grown potato plants, 517, (abst).
DRUMMOND, F.A. and R.A. CASAGRANDE. Effect of straw itch mite on larvae and adults of the Colorado potato beetle, 161.
DUFFUS, C.M., *see* Cochrane, M.P.
DULL, G.G., G.S. BIRTH and R.G. LEFFLER. Use of near infrared analysis for the nondestructive measurement of dry matter in potatoes, 215.
DWELLE, R.B., *see* Gawronska, H.
DWELLE, R.B., *see* Stark, J.C.
EDWARDS, L.M. *see* Sanderson, J.B.
EHLENFELDT, M.K. and A.A. BOE. Respiration and sugar accumulation of cold chipping and conventional potato clones, 518, (abst).
EHLENFELDT, M.K., A.A. BOE and R.H. JONANSEN. Inheritance of reducing sugar accumulation in progeny lines of cold chipping potato clones, 519, (abst).
EKANAYAKE, I.J. and D. MIDMORE. Root pulling resistance of potatoes in a dry environment, 519, (abst).
ELDREDGE, E., *see* Holmes, Z.A.
ELDREDGE, E., *see* Shock, C.C.
ELDREDGE, E.P. and C.C. SHOCK. Potato leaf water potential measurement with pressure chamber and leaf press, 520, (abst).
ELDREDGE, E.P., *see* Stieber, T.
EWING, E.E., *see* Nicholson, A.G.
EWING, E.E., *see* Reynolds, M.P.
EVANYLO, G.K. Rate and timing of nitrogen fertilizer for white potatoes in Virginia, 461.
FALCON, R., *see* Pallais, N.
FALK, S.P., *see* Rowe, R.C.
FAULKS, R.M., *see* Gubb, I.
FERNANDEZ, C., *see* Ciampi-Panno, L.
FISH, N., *see* Karp, A.
FITTS, M., *see* Coffin, R.
FLETCHER, R.A., *see* Chase, C.A.
FONG, N., *see* Pallis, H.
FORBISH, T.D. and R.C. BROOK. Temperature and moisture responses of the potato pile as affected by ventilation rate, 520, (abst).
FOORD, K., *see* Brown, J.
FOULGER, D., *see* Karp, A.

FRANCL, L.J. Are physiological days of potato calculated accurately?, 391.
FRY, W.E., *see* Doster, M.A.
GANGA, A., *see* Vander Zaag, P.
GARTON, R., *see* Coffin, R.
GAWRONSKA, H. and R.B. DWELLE. Partitioning of photoassimilates by potato plants (*Solanum tuberosum* L.) as influenced by irradiance I. partitioning patterns in cultivar Russet Burbank grown under high and low irradiance, 201.
GAYAO, S., *see* Vander Zaag, P.
GENET, R., *see* Meredith, P.
GOTH, R.W., *see* Deahl, K.L.
GOTH, R., K. HAYNES and K. DEAHL. Interactions of *Verticillium* infection and the incidence of pink eye, 521, (abst).
GOTH, R.W., *see* Haynes, K.G.
GOTH, R.W., J.R. SHUMAKER, R.E. WEBB, D.R. WILSON, R. MOORE, L.L. SANFORD and K.G. HAYNES. NemaRus: a golden neamatode resistant, russet-skin potato variety, 703.
GOTH, R. and R. WEBB. Reactions of potato cultivars and breeding lines to infection by potato virus M., 520, (abst).
GRAFIUS, E. and P. IOANNIDIS. Mechanisms and management of insecticide resistance in Colorado potato beetles in Michigan, 521, (abst).
GRAY, A.B., *see* Wardrop, E.A.
GROZA, H., S. LOVE and D. HANE. Repeatability within standard varieties as a basis for clonal selection in a possible variety improvement program, 521, (abst).
GUBB, I., J.A. CALLOW, R.M. FAULKS and M.T. JACKSON. The biochemical basis for lack of enzymic browning in the wild potato species *Solanum hjertingii* (Hawkes), 522, (abst).
GUDMESTAD, N.C., D. BAER and C.J. KUROWSKI. Population dynamics of *Corynebacterium spedonicum* in potato, 522, (abst).
GUDMESTAD, N.C., *see* Nolte, P.
GUENTHNER, J.F., *see* Carlson, J.E.
GUTBROD, O., *see* Hemphill, D.D., Jr.
GWINN, K.D., D.A. STELZIG and S.K. BHATIA. Differential ethylene production by potato tuber tissue inoculated with a compatible or an incompatible race of *Phytophthora infestans*, 417.
HABERLACH, G.T., *see* Austin, S.
HADLEY, R.G., *see* Hogan, P.S.
HAFEZ, S.L., *see* Davis, J.R.
HAGEN, S., *see* Muneta, P.
HADERLIE, L.C., J.L. HALDERSON, P.W. LEINO, P.J. PETERSON and R.H. CALLIHAN. Chemical desication of potato vines, 53.
HADERLIE, L.C., *see* Love, S.L.
HALDERSON, J.L., *see* Haderlie, L.C.
HALDERSON, J.L., *see* Skrobacki, A.
HALIBURTON, T.H., L.M. MAPPLEBECK, L.L. SANDERSON and S.K. ASIEDU. First ten years of the potato production technology course at the Nova Scotia Agriculture College, 522, (abst).
HALSETH, D.E., *see* Plaisted, R.L.
HALSETH, D.E. and K.S. YOURSTONE. Utilization of personal computer spreadsheet software to collect, analyze, and report experimental data, 523, (abst).
HAMMEL, J.E., *see* Brown, B.D.
HAMMEL, J., B. BROWN and R. McDOLE. Properties of adjoining light and dark soils used for processed potato production in the Treasure Valley. II. Physical, 523, (abst).

HAMMERSCHMIDT, R., *see* Douches, D.
HAMMERSCHMIDT, R., M.L. VITOSH, L.E. HANSON and M.L. LACY. Effect of cultural practices on incidence of common scab *(Streptomyces scabies),* 524, (abst).
HAMPSON, M.C., *see* Putman, M.L.
HANE, D., *see* Groza, H.
HANE, D.C., *see* Prothero, G.L.
HANNEMAN, R.E., Jr. Interspecific crossability studies among IEBN species, 524, (abst).
HANNEMAN, R.E., Jr. The potato germplasm resource, 655.
HANNEMAN, R.E., Jr., *see* Bamburg, J.B.
HANNEMAN, R.E., Jr., *see* Novy, R.G.
HANNEMAN, R.E., Jr., *see* Pineda, R.C.
HANSON, L.E., *see* Hammerschmidt, R.
HAYNES, K.G., *see* Goth, R.W.
HAYNES, K., *see* Goth, R.
HAYNES, K.G., R.E. WEBB, R.W. GOTH and D.R. WILSON. The correlation of yield and specific gravity in the U.S.D.A. potato breeding program, 524, (abst).
HAYNES, K.G., R.E. WEBB, R.W. GOTH and D.R. WILSON. The correlation of yield and specific gravity in the U.S.D.A. breeding program, 587.
HAYES, R.E., *see* Wille, M.J.
HELGESON, J., *see* Austin, S.
HEMPHILL, D.D., Jr., G.L. REED, O. GUTBROD and F. CROWE. Row covers reduce aphid-vectored virus transmission in seed fields, 525, (abst).
HENNINGER, M.R., *see* Sterrett, S.B.
HENNINGER, M., *see* Win, K.
HICKS, K., *see* Douches, D.
HILL, C.B. and N.A. ANDERSON. An evaluation of potato diseases caused by isolates of *Rhizoctonia solani* AG-3, 709.
HILLER, L.K. Foliar fertilizer applications on commercial potato fields, 525, (abst).
HODGES, T., *see* Manrique, L.A.
HOGAN, P.S., S.E. RUZIN, C.J. BOYES and R.G. HADLEY. Analysis of *Solanum tuberosum* CVS Atlantic and Russet Burbank, transformed with the selectable marker gene NPT-II, 526, (abst).
HOLMES, Z.A., *see* Shock, C.C.
HOLMES, Z.A., C.C. SHOCK, T. STIEBER, E. ELDREDGE, P. ZHANG and J. RIDLINGTON. The effect of water stress on the solids and reducing sugar distributions in Russet Burbank and A082260-8 potatoes, 526, (abst).
HOOPES, R.W., *see* Plaisted, R.L.
HOOPES, R.W., *see* Vilaro, F.L.
HOYOS, G.P., N.A. ANDERSON and F.L. LAUER. Detecting wilt resistance in potato seedlings, 526, (abst).
HUAMAN, Z., *see* Lizarraga, R.
HUAMAN, Z., B. TIVOLI and L. DELINDO. Screening for resistance to *Fusarium* dry rot in progenies of cultivars of *S. tuberosum* spp. *andigena* with resistance to *Erwinia chrysanthemi,* 357.
HUNG, Yung-Tse. Batch mesophilic anaerobic digestions of potato wastewaters, 437.
HUNG, Yung-Tse and PI-CHANG JEN. Anaerobic-aerobic treatment process for organic removal from potato wastewaters, 527, (abst).
HUNT, G.L.T., *see* Parker, B.L.
IOANNIDIS, P., *see* Grafius, E.
IRITANI, W.M., *see* Nielson, M.
IWANAGA, M., *see* Ortiz, R.
JACKSON, M.T., *see* Gubb, I.

JACOBSEN, T.L. and S.H. JANSKY. Effects of pre-breeding wild species on tuberization of *Solanum tuberosum* haploid-wild species of hybrids, 803.
JANSKY, S.H., Jacobsen, T.L.
JANSKY, S.H., Mooney, J.
JANSKY, S.H., Peloquin, S.J.
JASWAL, A.S., Reuse of buffers in return-polyacrylamide gel electrophoresis tests for detection of potato spindle tuber viroid, 813.
JASWAL, A.S. Texture of french fried potato: chemical composition of non-starch polysaccharides, 835.
JAYASINGHE, C. CHUQILLANQUI and L.F. SALAZAR. Modified expression of virus resistance in potato in mixed virus infections, 137.
JAYNES, J.M., *see* Dodds, J.H.
JEN, PI-CHANG, *see* Hung, Yung-TSE.
JOHANSEN, R.H., *see* Ehlenfeldt, M.K.
JOHNSON, K.B. and M.L. POWELSON. Can we predict yield losses caused by potato early dying?, 528, (abst).
JOHNSON, K.B. and E.B. RADCLIFFE. Crop-age dependent distributions of potato leafhopper nymphs on potato foliage, 527, (abst).
JOHNSTON, G.R., *see* Coffin, R.
JONES, E.D., *see* Plaisted, R.L.
JONES, M.G.K., *see* Karp, A.
KARP, A., M.G.K. JONES, D. FOULGER, N. FISH and S.W.J. BRIGHT. Variability in potato tissue culture, 669.
KEENAN, M.K., K.W. BAKER, R. COFFIN and R.Y. YADA. A histological examination of "White knot" disorders in tubers of the cultivar Atlantic, 489.
KEENAN, M.K., *see* Coffin, R.
KELMAN, A., *see* Lojkowska, E.
KENNEDY-KETCHESON, E.C., R.E. SOJKA and D.T. WESTERMANN. Correlation of tuber appearance and internal quality on an individual tuber basis, 528, (abst).
KENNEDY-KETCHESON, E.C., *see* Sojka, R.E.
KEZIS, A.S., *see* Peavey, S.
KEZIS, A., *see* Smith, D.A.
KEZIS, A.S., *see* True, R.H.
KINCAID, D.C., *see* Trout, T.J.
KINCAID, D.C. and D.T. WESTERMANN. Sprinkler irrigation effects on Russet Burbank quality and yield, 528, (abst).
KING, R.R., *see* Tarn, T.R.
KITCHEN, R.B., *see* Chase, R.W.
KITCHEN, R., *see* Coffin, R.
KITCHEN, R.B., *see* Silva, G.
KLEINKOPF, G.E. and D.T. WESTERMANN. Temperature effects on tuber quality, 529, (abst).
KLEINKOPF, G.E., *see* Wille, M.J.
KOENIG, J.P., *see* Stevenson, W.R.
KOZEMPEL, M. and K. HEILAND. Continuous on-line measurement of potato cookness, 529, (abst).
KUROWSKI, C.J., *see* Gudmestad, N.C.
KWIATKOWSKI, S., *see* Brown, C.R.
LAUER, F.I. Effect of long-term *in vitro* maintenance on potato cultivar performance, 530, (abst).
LAUER, F.I., *see* Bani-Aameur, F.
LAUER, F.E., *see* Hoyos, G.P.

LAUER, F.I., *see* Lorang, J.M.
LANDEO, J. and L. TURKENSTEEN. Assessment of partial resistance to late blight *(Phytophora infestans)* of major genes in potato, 530, (abst).
LANGENBURG, W., *see* Coffin, R.
LACY, M.L., *see* Hammerschmidt, R.
LEACH, S., W.M. CLAPHAM and K. BEDO. Examination if IR-1 potato collection of tuber-bearing *Solanum* species for sources of resistance to *Rhizoctonia solani* AG-3, 530, (abst).
LEACH, S.S., *see* Oberle, S.L.
LEE, G.S., *see* Sterrett, S.B.
LEFFLER, R.G., *see* Dull, G.G.
LEINER, R.H., *see* Carling, D.E.
LEINO, P.W., *see* Haderlie, L.C.
LEON, C.E., *see* Valencia, L.
LORANG, K.M., N.A. ANDERSON, F.I. LAUER and D.K. WILDUNG. Disease decline in a Minnesota potato scab plot., 531, (abst).
LeTOURNEAU, D., *see* Muneta, P.
LEWIS, M.D., *see* Stieber, T.
LIEDL, B.E., M.B. TAYLOR and S.L. DESBOROUGH. Development of a rapid-cycling population of *Solanum tuberosum* group *Phureja*, 557.
LINNELL, W. and D. DOUCHES. Development of molecular marker-assisted selection methods in diploid potatoes, 531, (abst).
LIZARRAGA, R., Z. HUAMAN and J.H. DODDS. *In vitro* conservation of potato germplasm at the International Potato Center, 253.
LOISELLE, F., G.C.C. TAI, B.R. CHRISTIE and T.R. TARN. Relationship between inbreeding coefficients and clonal selection in a potato cultivar development program, 747.
LOJKOWSKA, E. and A. KELMAN. Screening of seedlings of wild *Solanum* species for resistance to bacterial stem rot caused by soft rot *Erwinias*, 379.
LORIA, R., *see* Plaisted, R.L.
LOVE, S.L. Selection of a gamma ray induced blackspot bruise resistant potato mutants from the susceptible cultivar Lemhi Russet, 531, (abst).
LOVE, S.L. and L.C. HADERLIE. Relationship of foliar injury plant height and vine maturity to yield of potato clones following metribuzin applications, 83.
LOVE, S., *see* Groza, H.
LOVE, S.L. and J.J. PAVEK. Family and skin-type effects on storage losses in a potato (*Solanum tuberosum* L.) breeding population, 247.
LOVE, S.L., *see* Pavek, J.J.
LUDLAM, K., *see* Douches, D.
LULAI, E.C. Determination of suberization and wound healing rates, 532, (abst).
LULAI, E.C., *see* Vaughn, S.F.
MacKAY, G.R., *see* Brown, J.
MacKAY, G.R., *see* Davies, H.V.
MacKERRON, D.K.L., *see* Davies, H.V.
MALAGAMBA, P., *see* Berrios, D.
MANRIQUE, L.A. Analysis of growth of Kennebec potatoes grown under differing environments in the tropics, 277.
MANRIQUE, L.A. and T. HODGES. Estimation of tuber initiation in potatoes grown in tropical environments based on different methods of computing thermal time, 425.
MAPPLEBECK, L.M., *see* Haliburton, T.H.
MARSHALL, B., *see* Davies, H.V.
MARTIN, M.W. Increasing productivity by use of partial resistance to early dying diseases, leafroll virus, and potato virus Y, 533, (abst).

MARTIN, M.W., *see* Pavek, J.J.
MAZZA, G., *see* Rex, B.L.
MENDOZA, H.A. Population breeding as a tool for germplasm enhancement, 639.
MENDOZA, H.A., *see* Tarn, T.R.
MEREDITH, P. and R. GENET. An illustrative comparison of the components of tuber yield and solids content of five potato cultivars, 533, (abst).
MERSIE, W., *see* Singh, M.
MIDMORE, D., *see* Ekanayake, I.J.
MITTEN, D., *see* Boersig, M.
MITTEN, D., C. BOYES and P. VISS. Generation of potato clones for variety improvement, 534, (abst).
MORGAN, B., *see* Sowokinos, J.
MOONEY, J. and S.H. JANSKY. Development of interspecific *Solanum* hybrids for resistance to the Colorado potato beetle and the green peach aphid, 534, (abst).
MOORE, R., *see* Goth, R.W.
M'RIBU, H.K. and R.E. VEILLEUX. The effect of genotype, plantlet age, and culture medium on shoot regeneration from leaf and stem explants of *in vitro* anther derived monoploids of *Solanum phureja*, 535, (abst).
MUNETA, P., S. HAGEN, D. LeTOURNEAU and J. BROWN. Effect of temperature on the starch content of potato callus tissue, 535, (abst).
MULLIN, W.J., *see* Tarn, T.R.
McCANN, M., *see* DeBoer, S.H.
McDOLE, R.E., *see* Brown, B.D.
McDOLE, R., *see* Hammel, J.
McKEOWN, A.W. Yield response of early potatoes to chitting, 532, (abst).
McKEOWN, A., *see* Coffin, R.
McMORRAN, J.P. Measurement of the sprouting activity of seed tubers of 47 North American potato varieties when stored at 21, 11 and 5C, 533, (abst).
NELSON, D.L., *see* Conlon, R.L.
NICHOLSON, A.G. and E.E. EWING. Assessing compensatory growth following defoliation by the Colorado potato beetle for a potato growth simulation model, 535, (abst).
NICOLAUS, A., *see* Conti, E.
NIELSON, M., W.M. IRITANI and L.D. WELLER. Potato seed productivity: Factors influencing eye number per seedpiece and subsequent performance, 151.
NOLTE, P., G.A. SECOR and N.C. GUDMESTAD. Fluorescent compounds in the wound healing process and the pink eye disease complex of potato, 536, (abst).
NOVY, R.G. and R.E. HANNEMAN, Jr. Crossability of 1EBN potato species with group *tuberosum* haploids, 118, (abst).
NOWAK, J. and D. COLBORNE. *In vitro* tuberization and tuber proteins as indicators of heat stress tolerance in potato, 35.
OBERLE, S.L., W.M. CLAPHAM and S.S. LEACH. An expert system for potato disease diagnosis, 536, (abst).
OCHOA, C.M. *Solanum amayanum:* A new wild Peruvian potato species, 1.
OCHOA, C.M. *Solanum salasianum:* New wild tuber-bearing species from Peru, 235.
OJALA, J.C., *see* Stark, J.C.
OJEDA, S., *see* Ciampi-Panno, L.
ORTIZ, R., M. IWANAGA and S.J. PELOQUIN. Genetic-cytoplasmic male sterility and 2N pollen in 4X x 2X and 4X x 4X progenies, 537, (abst).
OSMAN, S.F., *see* Sinden, S.L.
OTRYSKO, B.E. and G.J. BANVILLE. The effect of infection of potato plants by *Rhizoctonia solani* on yield and chipping quality of ten cultivars, 537, (abst).
PALLIS, N., H. ASMIT, N. FONG and J. SANTOS-ROJAS. Factors affecting seedling

vigor in potatoes: I. Stage of seedling development, 793.
PALLIS, N. and R. FALCON. Interactions between true potato seed cross, seed age and preserving treatment on various early sowing value parameters, 537, (abst).
PALLIS, N. and N. FONG. A compromise strategy for storing high quality true potato seed, 538, (abst).
PARKER, B.L. and G.L.T. HUNT. *Phtorimaea operculella* (Zell.), the potato tuber moth: New locality records for East Africa, 583.
PARK, W., *see* Corsini, D.
PAVEK, J.J., C.R. BROWN, M.W. MARTIN and D.L. CORSINI. Inheritance of resistance to blackspot in potato, 539, (abst).
PAVEK, J.J., *see* Corsini, D.L.
PAVEK, J., *see* Corsini, D.
PAVEK, J.J., D.L. CORSINI and S.L. LOVE. Potato variety release Gemchip, a chipping variety with high yields and wide adaptability, 538, (abst).
PAVEK, J.S., *see* Love, S.L.
PAVEK, J.J., *see* Skrobacki, A.
PEAVEY, S., *see* Smith, D.A.
PEAVY, S., D.A. SMITH and A.S. KEZIS. Consumer acceptance of yellow-fleshed potatoes, 539, (abst).
PELOQUIN, S.J., *see* Amstadt, C.
PELOQUIN, S.J., *see* Darmo, E.
PELOQUIN, S.J., S.H. JANSKY and G.L. YERK. Potato cytogenetics and germplasm utilization, 629.
PELOQUIN, S.J., *see* Ortiz, R.
PELOQUIN, S.J., *see* Wacanabe, K.
PELOQUIN, S.J., *see* Werner, J.E.
PELOQUIN, S.J., *see* Yerk, G.L.
PETERSON, J.F., *see* Wardrop, E.A.
PETERSON, P.J., *see* Haderlie, L.C.
PINEDA, R.C. and R.E. HANNEMAN, Jr. Quantitative inheritance in *Solanum chacoense:* Estimation of genetic parameters, 539, (abst).
PLAISTED, R.L., D.E. HALSETH, H.D. THURSTON, B.B. BRODIE, R. LORIA and E.D. JONES. Kanona: A golden nematode resistant potato variety for the chipping industry, 145.
PLAISTED, R.L. and R.W. HOOPES. The past record and future prospects for the use of exotic potato germplasm, 603.
PLAISTED, R.L., *see* Vilaro, F.L.
PLATT, W.H. Potato growth and tuber production as affected by innoculation of cut and whole seed with *Rhizoctonia solani* (AG-3) and the use of seed treatment fungicides, 365.
PORTER, G.A. and J.A. SISSON. Growth and dry matter partitioning of Russet Burbank and Russette potatoes subjected to varying nitrogen fertilizer rates, 540, (abst).
PORTER, G.A. and J.A. SISSON. Rate response of Russet Burbank, Shepody and Russette potatoes to nitrogen fertilizer in two cropping systems, 540, (abst).
POWELSON, M.L. and N.W. CHRISTENSEN. Water and verticillium interaction in potato early dying, 541, (abst).
POWELSON, M.L., *see* Johnson, K.B.
PRITCHARD, M.K., *see* Siemens, A.J.
PROTHERO, G.L. and D.C. HANE. Modeling the effect of soil moisture deficit on yield of Russet Burbank potatoes, 541, (abst).
PUTMAN, M.L. and M.C. HAMPSON. Rediscovery of *Synchytrium endobrotecum* in Maryland.

RAHIMI, F.R. and C.D. CARTER. Prevention of flower abcission after pollination in *Solanum tuberosum* c.v. Katahdin, 47.
REED, G.L., *see* Hemphill, D.D., Jr.
REEVES, A.F. Notice of release of Somerset, a new chipping potato variety, 185.
RENNER, K.A., *see* VanGessel, M.J.
RENNER, K.A. and M.J. VanGESSEL. Effectiveness of potato vine kill on Russet Burbank and Onaway potatoes, 542, (abst).
REYNOLDS, M.P. and E.E. EWING. Heat tolerance in tuber bearing *Solanum* soecies: a protocol for screening, 63.
REX, B.L. and G. MAZZA. Cause, control, and detection of hollow heart in potatoes: A review, 165.
RICE, G.J., *see* Stevenson, W.R.
RICHARDS, J.E., *see* Tarn, T.R.
RICHARDSON, D.L., *see* Davies, H.V.
RIDLINGTON, J., *see* Holmes, Z.A.
RIEDEL, R.M., *see* Rowe, R.C.
ROJAS, S.J., *see* Pallis, N.
ROSS, H.A., *see* Davies, H.V.
ROWE, R.C., R.M. RIEDEL and S.P. FALK. Alteration in potato cultivar response to *Verticillium dahliae* by co-innoculation with *Pratylenchus penetrans,* 542, (abst).
RUZIN, S.E., *see* Hogan, P.S.
SANFORD, L.L. and W.W. CANTELLO. Larval development and mortality of Colorado potato beetle on detached leaves of wild *Solanum* species, 575.
SANFORD, L.L., K.L. DEAHL and S.L. SINDEN. Foliar solanine levels in *S. tuberosum* populations selected for potato leafhopper resistance, 543, (abst).
SANFORD, L.L., *see* Goth, R.W.
SALAZAR, L.F., *see* Jayasinghe, C.
SAMSON, D., *see* Crowe, F.
SANDERSON, J.B. and L.M. EDWARDS. The effect of short-term cropping sequence on N response of Russet Burbank potatoes, 543, (abst).
SANDERSON, L.L., *see* Haliburton, T.H.
SCHMIDT, R., *see* Stevenson, W.R.
SCHNEIDER, A.T., *see* Davis, J.R.
SCHROETER, B., *see* Douches, D.
SECOR, G.A., *see* Nolte, P.
SHEA, I., *see* Sowokinos, J.
SHOCK, C.C., *see* Eldredge, E.P.
SHOCK, C.C., *see* Holmes, Z.A.
SHOCK, C.C., *see* Stieber, T.
SHOCK, C.C., T. STIEBER, E. ELDREDGE and Z.A. HOLMES. Timing of short duration water stress that promotes dark-end Russet Burbank tubers, 543, (abst).
SHUMAKER, J.R., *see* Goth, R.W.
SIEMENS, A.J., M.K. PRITCHARD and G.M. ZULU. Mefluidide effects on field performance and processing quality of Norchip potatoes, 73.
SILVA, G.H., *see* Chase, R.W.
SILVA, G., R.W. CHASE and R.B. KITCHEN. Effect of potassium source and rate on potato quality, 543, (abst).
SINDEN, S.L., *see* Deahl, K.L.
SINDEN, S.L., S.F. OSMAN and K.L. DEAHL. New glycoalkaloids in tubers of *Solanum brevidens* + *S. tuberosum* somatic hybrids, 544, (abst).
SINDEN, S.L., *see* Sanford, L.L.
SINGH, M. and W. MERSIE. Absorption, translocation, and metabolism of thuringiensin

in potato, 5.
SINGH, R.P., A. BOUCHER and T.H. SOMERVILLE. Evaluation of chemicals for disinfection of laboratory equipment exposed to potato spindle tube viroid, 239.
SINGH, R.P., *see* Wardrop, E.A.
SISSON, J.A., *see* Porter, G.A.
SKROBACKI, A., J.L. HALDERSON, J.J., PAVEK and D. CORSINI. Determining potato tuber resistance to impact damage, 401.
SLEEPER, M., *see* Sowokinos, J.
SLIMMON, T., V.S. MACHADO and R. COFFIN. The effect of light on *in vitro* microtuberization of potato cultivars, 843.
SMITH, D.A., *see* Peavey, S.
SMITH, D.A., S. PEAVEY and A. KEZIS. Measuring differences in consumer satisfaction of visually identical potato varieties, 544, (abst).
SMITH, D.A., *see* True, R.H.
SOIJKA, R.E., *see* Kennedy-Ketcheson, E.C.
SOIJKA, R.E., D.T. WESTERMANN and E.C. KENNEDY-KETCHESON. Temperature regimes of Idaho potato hills, 545, (abst).
SOMERVILLE, T.H., *see* Singh, R.P.
SORENSEN, L.H., *see* Davis, J.R.
SOUZA-MACHADO, V., *see* Chase, C.A.
SOUZA-MACHADO, V., *see* Slimmon, T.
SOWOKINOS, J., B. MORGAN, M. SLEEPER and I. SHEA. Glucose-forming-potential (GEP): a tool to screen for superior processing potato clones, 545, (abst).
SPOONER, D.M. Mexico, 1988 potato collecting expedition, 545, (abst).
SPOONER, D.M., *see* Conti, E.
STAHL, S., *see* Crowe, F.
STARK, J.C. and R.B. DWELLE. Antitranspirant effects on yield, quality, and water use efficiency of Russet Burbank potatoes, 563.
STARK, J.C. and J.C. OJALA. Use of multispectral imagery for detecting field problems in potato cropping systems, 546, (abst).
STELZIG, D.A., *see* Gwinn, K.D.
STERRETT, S.B., M.R. HENNINGER and C.S. LEE. Relationship of internal heat necrosis with time and temperature, 546, (abst).
STIEBER, T., *see* Holmes, Z.A.
STIEBER, T., *see* Shock, C.C.
STIEBERT, T., C.C. SHOCK, J.D. ZALEWSKI, M.D. LEWIS and E.P. ELDREDGE. Potato tuber stem-end fry color determinations, 547, (abst).
STEVENSON, W.R., *see* Adams, S.S.
STEVENSON, W.R., D. CURWIN, L.K. BINNING, J.A. WYMAN, J.P. KOENIG, C.J. RICE, R. SCHMIDT and J. ZAJDA. Management of potato production using integrated computer software, 547, (abst).
STEWART, H.E., *see* Brown, J.
SUSANA, B., *see* Vander Zaag, P.
SWEIGARD, J.A., *see* Doster, J.A.
SYTSMA, K.J., *see* Conti, E.
TAI, G.C.C., *see* Loiselle, F.
TAI, G.C.C., *see* Tarn, T.R.
TALBOT, L.S., *see* Davies, H.V.
TARN, T.R. Introduction to germplasm evaluation and enhancement symposium, 601.
TARN, T.S., *see* Loiselle, F.
TARN, T.R., H.A. MENDOZA, G.C.C. TAI, R.R. KING, J.P. RICHARDS and W.J. MULLIN. The nutritional value of potato breeding materials, 547, (abst).

TAYLOR, M.B., *see* Liedl, B.E.
TAYLOR, R.J., *see* Draper, N.A.
TIMM, G. and H. TIMM. Changes in the levels of sugars in dormant and sprouted potatoes in response to temperature and GA_3, 548, (abst).
TIMM, H., *see* Timm, G.
TIBBITTS, T.W., *see* Wheeler, R.M.
TIVOLI, B., *see* Huaman, Z.
THOMPSON, N., *see* Coffin, R.
THOMPSON, C., *see* Corsini, D.L.
THORESON, M.C., *see* Conlon, R.L.
THORNTON, R.E., *see* Wallace, J.C.
THURSTON, H.D., *see* Plaisted, R.L.
TOVAR, P., *see* Dodds, J.H.
TRUE, R.H., T.M. WORK, A.A. BUSHWAY, D.A. SMITH and A.S. KEZIS. Suitability of various potato varieties for microwaving, 549, (abst).
TROUT, T.J., D.C. KINCAID and D.T. WESTERMANN. Sample size effect on potato and grade variability, 548, (abst).
TROUT, T.J., D.C. KINCAID and D.T. WESTERMANN. Comparison of sprinkler and furrow irrigation on Russet Burbank quality, 548, (abst).
TURKENSTEEN, L., *see* Landeo, J.
VALENCIA, L., and C.E. LEON. Factors influencing the susceptibility response of some potato cultivars to the damage by the potato tuberworm moth, 549, (abst).
VanGESSEL, M.J. and K.A. RENNER. Redroot pigweed (*Amaranthus retroflexus* L.) and barnyard grass (*Echinochloa crus-galli* L. BEAUV) interference in potatoes, 550 (abst).
VanGESSEL, M.J., *see* Renner, K.A.
VAN DER ZAAG, D.E., *see* Vos, Ir., J.
VAN DER ZAAG, P., B. SUSANA, Z. GANGA and S. GAYAO. Field evaluation of the true seed progenies in the Philippines, 109.
VARGA, E., *see* Douches, D.
VAUGHN, S.F. and E.C. LULAI. Lipoxygenose, polyphenoloxidase and peroxidase activities in potato tuber discs treated with *Verticillium dahliae* extracts or arochidonic acid, 550, (abst).
VEILLEUX, R.E., *see* Bani-Ammeur, F.
VEILLEUX, R.E., *see* M'Ribu, H.K.
VILARO, F.L., R.L. PLAISTED and R.W. HOOPES. Comparison of cytoplasmic male sterilities in progenies of *tuberosum* x *andigena* and *tuberosum* x *neo-tuberosum* crosses, 13.
VISS, P., *see* Mitten, D.
VITOSH, M.L., *see* Hammerschmidt, R.
VOS, Ir., J. and D.E. VAN DER ZAAG. A report on international conference on effects of crop rotation on potato production in the temperature zones, 101.
WALLACE, C., *see* Douches, D., 518.
WALLACE, J.C. and R.E. THORNTON. Influence of irrigation and nitrogen scheduling strategies on yield, grade, and specific gravity of six potato clones, 551, (abst).
WARDROP, E.A., A.B. GRAY, R.P. SINGH and J.F. PETERSON. Aphid transmission of potato virus S., 449.
WASTIE, R.L., *see* Brown, J.
WATANABEK, K. and S.J. PELOQUIN. Genetic significance of mode of polyploidization somatic doubling of sexual polyploidization, 551, (abst).
WEBB, R., *see* Goth, R.
WEBB, R.E., *see* Goth, R.W.
WEBB, R.E., *see* Haynes, K.G.
WELLER, L.D., *see* Nielson, M.

1 202 - XC - 12/30/99
UNI MICROFILMS INC
300 N ZEEB ROAD
ANN ARBOR MI 48103

WERNER, J.E. and S.J. PELOQUIN. Evaluation of haploids in 2X x 4X crosses, 551, (abst).
WESTERMANN, D.T., Nutritional monitoring of potato plants, 552, (abst).
WESTERMANN, D.T., *see* Kennedy-Ketcheson, E.G.
WESTERMANN, D.T., *see* Kincaid, D.C.
WESTERMANN, D.T., *see* Kleinkopf, G.E.
WESTERMANN, D.T., *see* Sojka, R.E.
WESTERMANN, D.T., *see* Trout, T.J.
WESTPHALE, P.C., *see* Carling, D.E.
WHEELER, R.M. and T.W. TIBBITTS. Utilization of potatoes for life support systems in space. IV. Effect of CO_2 enrichment, 25.
WILDUNG, D.K., *see* Lorang, J.M.
WILLE, M.J., G.E. KLEINKOPH and R.E. HAYES. Effect of simulated hail damage on yield and quality of Russet Burbank potatoes, 552, (abst).
WILSON, D.R., *see* Goth, R.W.
WILSON, D.R., *see* Haynes, K.G.
WILSON, J., *see* Coffin, R.
WIN, K., G. BERKOWITZ and M. HENNIGER. Reduction of calcium deficiency-related brown neceosis in tubers of water stressed potato by the use of a leaf antitranspirant, 553, (abst).
WORK, T.M., *see* True, R.H.
WYMAN, J.A., *see* Stevenson, W.R.
YADA, R.Y., *see* Coffin, R.
YADA, R.Y., *see* Keenan, M.K.
YANG, C.P., *see* Brown, C.R.
YANG, M., *see* Dodds, J.H.
YERK, G.L., *see* Peloquin, S.J.
Yerk, G.L. and S.J. PELOQUIN. Evaluation of tuber traits of 10, 2x (2EBN) wild species through haploid x wild species hybrids, 731.
YERK, G.L. and S.J. PELOQUIN. Evaluation of haploid x wild species hybrids with five new species in the 4X x 2X breeding scheme, 553, (abst).
YOUNG, D., *see* Coffin, R.
YOURSTONE, K.S., *see* Halseth, D.E.
ZHANG, P., *see* Holmes, Z.A.
ZAJDA, J., *see* Stevenson, W.R.
ZALEWSKI, M.D., *see* Stieber, T.
ZULU, G.M., *see* Siemens, A.J.